




PATIENT INFORMATION

BIOENERGETIC INFORMATION THERAPY (BIT)



BioKat Systeme GmbH
Industriehof 6
77933 Lahr
Germany

+49 (0) 7821 32911-50
+49 (0) 7821 32911-60
info@bio-kat.de
www.bio-kat.de



© BioKat 2.0 / 2017

BioKat
SYSTEME 



CONTENTS

Are you happy with your current condition
or do you want to change something?
Have the previously applied methods helped you
or are you still looking for feasible alternatives? Page 4
In which disorders is bioenergetic information therapy applied?..... Page 6
How is bioenergetic information therapy applied in practice? Page 9
ExplanationsPage 10
How often is treatment required?Page 12
How successful are the treatments?Page 12
What should be considered additionally?Page 13
What is bioenergetic information therapy based on?Page 13
How does bioenergetic information therapy work?Page 14
How does bioenergetic information therapy differ
from other information transmitting methods?Page 15
ReferencesPage 16

ARE YOU HAPPY WITH YOUR
CURRENT CONDITION OR DO YOU
WANT TO CHANGE SOMETHING?

HAVE THE PREVIOUSLY APPLIED
METHODS HELPED YOU OR ARE YOU STILL
LOOKING FOR FEASIBLE ALTERNATIVES?

More concretely: Where does the itchy skin rash or lack of fitness and fatigue come from? Are the braces related to the learning and concentration disorders? Can someone help me with my test anxiety? Why do I constantly get infections? Why do I get neurodermatitis or why can't I tolerate milk? I feel sick, although all previous examinations have shown no indication of a disorder. Why can't I get rid of these chronic disorders?

For these and similar questions, the bioenergetic information therapy (BIT) offers concrete and systematic solutions. Recognizing and treating the diseases' cause ranks first with this therapeutic method.

The BIT is a non-invasive and according to all previous clinical data side effect free method of energy medicine which integrates elements of homeopathy, traditional Chinese medicine, reflexology and further empirical treatment methods and combines them with modern electronics and biophysics. It can be applied on children as well as adults. Since it is side effect free, it is particularly beneficial for infants, children and elderly with multiple disorders taking several types of drugs.

The classic form of the bioenergetic information therapy was developed in the seventies of the 20th century by the naturopathically oriented physician Dr. Franz



Morell and electronic engineer Erich Rasche. In the meantime extensive practical knowledge within a wide indication spectrum and a number of positive scientific clinical studies in several indication areas exist. Evidence for the clinical effectiveness is substantiated by a vast number of positive biological scientific studies. Contrary to countries like China, Russia, Switzerland and Turkey however, the therapy is so far still not recognized by conventional medicine in Germany for any indication (no statutory medicare coverage).

IN WHICH DISORDERS IS BIOENERGETIC INFORMATION THERAPY APPLIED?

EMPIRICAL KNOWLEDGE

For more than 35 years bioenergetic information therapy has been practiced on children and adults by physicians and naturopaths. In the meantime comprehensive knowledge in a wide range of indications exists. Amongst others, the method is practically applied on allergic disorders, food incompatibilities and intolerances, rheumatic disorders, obstructive disorders of the respiratory tract, chronic infectious diseases, pain of various type and cause, psychosomatic disorders, anxieties and phobias, addictive disorders as well as drainage of pollutants and toxins. These indications are considered as the therapeutic domain of the BIT.



SCIENTIFIC KNOWLEDGE

As already mentioned, a number of scientific clinical studies which have been carried out by physicians in practice, clinics or medical university hospitals are available and have been published predominantly in scientific peer-reviewed journals.

According to their authors' conclusions, BIT has a clinical effect in:

- **Allergic disorders** (in the manifestations rhinitis, bronchial asthma, pollinosis, eczema, urticaria): 21 uncontrolled studies (2.983 participants), six controlled clinical trials (1.001 participants), one placebo-controlled double-blind study (36 participants); *see references 1*
- **Smoking cessation**: two uncontrolled trials (6.265 participants), one controlled comparative study (200 participants), one placebo-controlled double-blind study (190 participants); *see references 2*
- **Functional gastrointestinal disorders**: two uncontrolled studies (114 participants), one placebo-controlled single-blind study (20 participants); *see references 3*
- **Rheumatic disorders**: two uncontrolled studies (111 participants), six controlled comparative studies (282 participants); *see references 4*
- **Obstructive disorders of the respiratory tract**: three uncontrolled studies (301 participants), six controlled comparative studies (698 participants); *see references 5*
- **Mild forms of chronic liver disorders**: one uncontrolled study (14 participants), one controlled comparative study (28 participants); *see references 6*
- **Pain in various disease patterns**: four uncontrolled studies (309 participants), four controlled comparative studies (180 participants), one placebo-controlled single-blind study (20 participants); *see references 7*
- **Infectious diseases**: two uncontrolled studies (141 participants); *see references 8*
- **Amalgam drainage**: two uncontrolled studies (102 participants), one controlled comparative study (21 participants); *see references 9*

Additionally it should be mentioned that in a legal dispute on May 14, 2009 the Higher Regional Court in Munich (file reference 6 U 2187/06) decided that patients, therapists and the general public may be admissibly informed that allergies can be tested and treated painlessly and without side effects with the bioenergetic information method.

On the practical clinical level, Dr. Herrmann's comprehensive practice study with 935 allergy and pain patients, as well as patients with infectious diseases with a chronic therapy resistant course of disease should be pointed out specifically. (Herrmann E, Galle M: Retrospective surgery study of the therapeutic effectiveness of the MORA bioresonance therapy with conventional therapy resistant patients suffering from allergies, pain and infection diseases. European Journal of Integrative Medicine 2011; 3:237e-244e). According to Dr. Herrmann, the therapeutic efficacy of the BIT in these difficult to treat patients was, depending on indication, in the 80% to 90% range.



HOW IS BIOENERGETIC INFORMATION THERAPY APPLIED IN PRACTICE?

On a vast number of acute illnesses and on selected chronic diseases proven therapeutic standard concepts are applied, which arose from over 30 years of experience; this also extends to **energetic psychotherapy*** (see explanations at the end of this section).

The treatment of many chronic diseases, even thus far therapy resistant disorders, is effected by means of a therapeutic concept that covers the **cause** of the disorder. This is implemented in two basic steps:

1. Elimination of acquired physical as well as psychological/mental disorders and thus the rehabilitation of individual self-regulating forces.
2. The individual stimulation and strengthening of the self-regulating forces.


This is practically accomplished by initially determining the patient's energetic condition by means of electroacupuncture (EAP-determination) which then serves as a basis for the bioenergetic information therapy.

In this concept an identical therapeutic strategy, largely independent of the particular disease is applied on all individuals with a disorder. Based on the results of the EAP-test on the terminal acupuncture points, the acquired physical disorders are initially remediated in the first step and thus eliminated (geopathic stress, primary allergies, food stuff incompatibilities, heavy metal strain, intestinal mycosis, scar interference fields, dental foci, medication burden, environmental toxins, chronic infectious strains, vaccination stress). In this context it is also attempted to rid the patients of acquired emotional/mental stress by applying an energetic psychotherapy. The human self-regulating forces are to be relieved from obstructive burdens as effectively as possible.

In the subsequent second step, the self-regulatory potentials are stimulated with further special techniques of the BIT.



IN CHRONIC DISORDERS THE HUMAN “STRESS BARREL” OVERFLOWS.



EXPLANATIONS

• **Energetic psychotherapy (EP):**

In general EP means that the therapeutic methods of energy medicine, especially from traditional Chinese medicine are combined with modern psychotherapy techniques. The component of energy medicine in this case consists of the bioenergetic information therapy.

• **EAP-determination of the patient’s energetic condition:**

In order to determine the patient’s energetic condition the electric conductance is measured at the acupuncture points and interpreted within the scope of the vital energy and meridian model of traditional Chinese medicine (TCM).

• **EAP-test:**

In the EAP-test, electromagnetic oscillations from bioactive substances are superimposed on the human electromagnetic field and tested for a possible positive reaction on the change of the acupuncture points’ electric conductance.

• **Terminal acupuncture points:**

The terminal acupuncture points are the meridians’ start and end points at the nail fold angles of hands and feet.

• **Geopathic stress:**

People sleeping on the crossing points of the geomantic earth radiation field (e.g. crossing points in the Hartmann grid) are weakened in their fitness and self-regulation potential. Electric stress has this effect as well.



HOW OFTEN IS TREATMENT REQUIRED?

In acute diseases only a few treatment sessions, sometimes even only one, are necessary. For chronic conditions, five to ten treatments are usually necessary. In previously therapy resistant diseases more treatments may however be required.

The number of required therapy sessions for chronic diseases mainly depends on the individual disease pattern and the sick person him/herself.

HOW SUCCESSFUL ARE THE TREATMENTS?

According to Dr. Herrmann's comprehensive practice study with 935 patients the success rate of the above described causal concept in predominantly chronic therapy-resistant disorders is at 80% to 90%; treated in particular were infections, allergies and pain in the orthopedic, internistic and neurological field (*see reference 10*). This is generally confirmed by the results of other studies in further indication ranges (*see references 1-9*).



WHAT SHOULD BE CONSIDERED ADDITIONALLY?

The bioenergetic information therapy supports the human self-regulation forces. In rare cases healing reactions with symptoms like headaches, mild dizziness, diarrhea, increased desire to void and a light fever for example may occur after the treatments. They can persist from a few hours up to a few days but will regress completely and are harmless. In such a case, the patient should speak to his therapist. During the treatment phase, increased consumption of water which is low in minerals and non-carbonated is principally advisable to support the excretory organs.

WHAT IS BIOENERGETIC INFORMATION THERAPY BASED ON?

To understand this pioneering therapy method, it is important to know that the individual does not only have a visible physical body, but also an invisible electromagnetic field body. This bio-field body is most intimately connected to the physical body. The invisible body is a highly organized and weak electromagnetic oscillation system similar to the music in a symphony concert. The biophysicist Prof. Dr. Zhang speaks of an invisible rainbow and an inaudible music in humans, to metaphorically explain this oscillation system to biophysical laymen (*see reference 11*).

This bio-field body is superior to commonly known regulation systems like the nervous or endocrine system. It is the actual biological regulation level or human software respectively program level. Positive changes at this level have a positive effect on all subordinate biological levels. This means concretely: pathological changes at the biochemical level of the body in the cells and body fluids can be changed for the better through positive influences on the bio-field body's level (*see references 12*).



Nowadays the bio-fields of the heart (ECG), the muscles (EMG), the brain (EEG) and the whole body (MRI) for instance, are already utilized diagnostically.

The quality and quantity of information transfer with electromagnetic oscillations can be clarified as compared with a television broadcast or smartphones: All images you see and sounds you hear are transmitted through modulations (alterations) of the transmitted electromagnetic oscillations. Nature as well utilizes this form of information transfer since millions of years, thus long before man has learned to utilize it technically. Snakes for instance can still sense their prey at a temperature difference of 0.003°C to the environment using their infrared (temperature) sensor.

HOW DOES BIOENERGETIC INFORMATION THERAPY WORK?

The bioenergetic information therapy assists and activates the self-regulating forces of the patient, by releasing him from the acquired physical and psychological strains, which are connected to the solidified vital energy structures. The vital energy can flow unimpeded and smoothly once again.

For therapeutic purposes, endogenous electromagnetic oscillations are picked up using planar electrodes and passed back to the patient and superimposed on themselves and/or the electromagnetic oscillations of external bioactive substances (e.g. allergens, heavy metals, vitamins) are superimposed on endogenous oscillations in a certain way for therapeutic purposes as well. This then results in the dissolution of solidified oscillation structures and as a consequence in the dissolution of regulatory blockages, the elimination of encumbering contaminants, relief of burdening emotions as well as for strengthening weak endogenous oscillations. Disorders connected to solidified oscillatory energy structures are therefore positively affected.

In essence, the BIT is a mirror therapy on the level of the invisible human body field. On the bio-field level the individual is mirrored with himself and “bathes” in his own



mirrored wave field. Human beings are faced with their own mirrored invisible rainbow and inaudible music. Disharmonies and dissonances become “visible” and therefore “modifiable” for the self-regulating forces.

HOW DOES BIOENERGETIC INFORMATION THERAPY DIFFER FROM OTHER INFORMATION TRANSMITTING METHODS?

Earmark of classic bioenergetic information therapy is the mirror therapy approach and an indirectly proven, weak electromagnetic information transfer. Many other therapeutic methods are using similar designations, however do not have much in common with the original form of the BIT.

Radionic methods (so called scanner methods) diagnostically and therapeutically work with “consciousness fields” whereas the device itself and the software have no physical significance, but are rather a “contraption” to better focus the patient and therapist on the “consciousness fields”. The information is supposed to be transferred by means of these “consciousness fields”.

Other similarly labeled methods are merely releasing exogenously physical fields on the patient for therapeutic purposes.

REFERENCES

• References 1

- Morell F:* Allergietherapie mit dem MORA-Super – eine prospektive Praxisstudie. Klinischer Bericht, Ottfingen 1988.
- Schumacher P:* Biophysikalische Therapie der Allergien. pp 125-133, Stuttgart, Sonntag 1998. Auch Publikation: Schumacher P: Biophysikalische Allergietherapie – Grundlagen und Ergebnisse. Erfahrungsheilkunde 1990; 39(12):812-817.
- Schumacher P:* Biophysikalische Therapie der Allergien. pp 147-154, Stuttgart, Sonntag 1998.
- Hennecke J:* Energetische Allergietherapie – Möglichkeiten und Erfahrungen mit der Bicom-Bioresonanztherapie. Ärztezeitschrift für Naturheilverfahren 35, S.427-432, 1994.
- Reprint: Hennecke J:* Erfolgreiche Allergiebehandlung mit Resonanztherapie unter Verwendung von Akupunkturmeridianen. Erfahrungsheilkunde 1998; 47 (5): 347-354.
- Chervinskaya AV, Nasarowa LW, Gorelow AI:* MORA-Therapie bei respiratorischen und allergischen Erkrankungen. Untersuchungsbericht des Staatlichen Wissenschaftlichen Pulmonologiezentrums, St. Petersburg 1997.
- Frick U., Frick G.:* Einsatz der UVB bei der Autoimmunthyreoiditis in Kombination mit MORA-Therapie. Ärztezeitschrift für Naturheilverfahren 2000;41(7):484-487a.
- Frick G.:* Objektivierung der Behandlungsergebnisse bei Allergien nach der Kombination von UVB, MORA- und isopathischer Therapie. Ärztezeitschrift für Naturheilverfahren 2000; 41 (11): 752-759.b.
- Yang J, Zhang L:* 300 Behandlungsbeispiele gegen Asthma mittels BICOM-Gerätes für die Kinderpatienten. Maternal and Child Health Care of China 2004; 19(9):126-127.
- Huang S, Sun Z, Fang Y:* Klinische Behandlung vom allergischen Schnupfen und Bronchialasthma der Kinder mit dem Bioresonanztherapiegerät. Zhejiang Medical Journal 2005; 27(6):457-458.
- Xu M, Zheng M, Xu Y, Jang J, Zhang X:* Klinische Beobachtung der Behandlung vom chronischen Nesselausschlag mit dem Bioresonanztherapiegerät. China Journal of Leprosy and Skin Diseases 2005; 21(7):533-534.
- Feng Y, Chen H, Li R, Liu L:* Die neulich klinische Beobachtung der Heilwirkung mit Bioresonanztherapiegerät in 150 Fällen der Kinder-Allergie-Krankheit. Chinese Journal of Contemporary Pediatrics 2005; 7(3):257-258.
- Zhang X, Wang W, Liu Q:* Klinische Beobachtung über 54 Behandlungsfälle gegen Nesselausschlag mittels BICOM Bioresonanztherapiegerät. China Journal of Leprosy and Skin Diseases 2005; 21(8):651.
- Du X, Liu Y, Yang J:* Klinische Beobachtung über 79 Behandlungsfälle gegen allergische Hautkrankheiten mittels Bioresonanzgerät. Chinese Journal of Practice Medicine 2005; 4(5):259.
- Frick G.:* Effiziente Asthmabehandlung. Ärztezeitschrift für Naturheilverfahren 2005; 75(7):433-437.
- Cheng CF, Wu YL, Tsai MH, Wu WF, Liu LL:* A study to evaluate the efficacy of bioresonance therapy of MORA device on allergic symptoms. Clinical report. Presented on the Second World Conference of Natural Medicine, Taipei, Oct. 24, 2008a.
- Cheng CF, Wu YL, Tsai MH, Wu WF, Liu LL:* A study to evaluate the efficacy of electronic homeopathic remedies on allergic symptoms. Clinical report. Presented on the Second World Conference of Natural Medicine, Taipei, Oct. 24, 2008b.
- Wen Q, Zhang C, Liu H:* Allergy Disease Test and Therapy Result Observation with MORA-Super Biophysical Therapy Device. Clinical report 2009, Xingjiang, China.
- Li Y, Liu H:* Observation on clinical treatment result for both chronic and acute urticaria with MORA device. Chinese Journal of Clinical Dermatology 2009; 50 (3): 128-129.
- Liu H, Li Y:* Clinical efficacy of MORA-super Bioresonance device on acute/chronic urticaria. Journal of Clinical Dermatology (China) 2009; 38(2):128-129.

- Yi S, Li Q, Dong L, Jia Z, Gao S, Cheng C:* Allergen detection and efficacy of MORA-super Bio-resonance device on allergic skin diseases. China Journal of Leprosy and Skin Diseases 2009; 25(9):709-710.
- Xing J, Sun T, Wang W, Zhang A, Zhang X:* MORA-Super biological resonance diagnosis and treatment of chronic allergic diseases. Chinese and Foreign Medical Research 2009; 7(9).
- Ren Y, Zhu X:* Efficacy of MORA-Super Bioresonance Device on Amalgam Allergy. Modern Practical Medicine (China) 2009; 21(8): 878-879.
- Yu H, Zhang L, Fan X:* Efficacy of MORA-super Bio-resonance device on chronic Eczema. Shanxi Medical Journal 2010; 39(4):352-353.
- Xiang QY, Gong J, Zhang YQ et al.:* Clinical efficacy of MORA-super bio-resonance device on 237 chronic urticaria patients. Sichuan Medical Journal 2010; 31(6):763-764.
- Guo Y, Mao J, Zhao XH:* Clinical observation of the treatment of 32 Cases of Bronchial Asthma by MORA-Super Bio-resonance diagnosis and therapy instrument. Journal of Clinical Pulmonary Medicine (China) 2010; 15(3): 407-408.
- Chen T, Gou Z, Zhang YH, Gao Y:* Effect of MORA bioresonance therapy in the treatment of Henoch-Schönlein Purpura and influence on serum antioxidant enzymes. Journal of Clinical Dermatology (China) 2010; 39(5):283-285.
- Herrmann E, Galle M:* Retrospective surgery study of the therapeutic effectiveness of the MORA bioresonance therapy with conventional therapy resistant patients suffering from allergies, pain and infection diseases. European Journal of Integrative Medicine 2011; 3:237e-244e.
- Liu L.L., Wan K.S., Cheng C.F., Tsai M.H., Wu Y.L., Wu W.F.:* Effectiveness of MORA electronic homeopathic copies of remedies for allergic rhinitis: a short term, randomised, placebo-controlled pilot study. European Journal of Integrative Medicine 2013; 5:119-125.
- **References 2**
- Osvai L.:* MORA Anti-Nikotin-Programm in der pneumologischen Praxis. Symposium der Internationalen Ärztesellschaft für Biohybernetische Medizin. Vortragsskript/Klinischer Bericht, Rust, 2006.
- Isik ES:* MORA bioresonance method (MORA-Therapy) to quit smoking. Clinical report 2011, NEOSANTE clinic, Istanbul, Turkey.
- Karadag M:* The effect of nicotine dependence on smoking cessation. Clinical Report 2011, Istanbul, Turkey.
- Pihitli A, Galle M, Cuhadaroglu C, Kilicaslan Z, Issever H, Erkan F, Cagatay T, Gulbaran Z:* Evidence for the efficacy of a bioresonance method in smoking cessation: a pilot study. Forschende Komplementärmedizin 2014; 21:239-245.
- **References 3**
- Nienhaus J:* Studie zur Therapie psychosomatischer Beschwerden mit dem MORA-Konzept. In: Nienhaus, J.: MORA und Psychosomatik.S. 65-73, Klinischer Bericht, Friesenheim: MedTronik 1999.
- Nienhaus J, Galle M:* Placebokontrollierte Studie zur Wirkung einer standardisierten MORA-Bioresonanztherapie auf funktionelle Magen-Darm-Beschwerden. Forschende Komplementärmedizin & Klassische Naturheilkunde 13:28-34, 2006.
- Rahlf's VW, Rozehnal A:* Wirksamkeit und Verträglichkeit der Bioresonanzbehandlung. Erfahrungsheilkunde 2008; 57(8):462-468.
- **References 4**
- Islamov BI, Funtikov VA, Bobrovskii RV, Gotovskii YuV:* Bioresonance therapy of Rheumatoid Arthritis and heat shock proteins. Bulletin of Experimental Biology and Medicine, Vol. 128 (11), S. 1112-1115, 1999.
- Maiko OYu, Gogoleva EF:* Outpatient bioresonance treatment of gonarthrosis. Tera-pevticheskii arkhiv, Vol 72 (12), S.50-53, 2000.
- Gogoleva EF:* New approaches to diagnosis and treatment of fibromyalgia in spinal osteochondrosis. Terapevticheskii arkhiv, Vol 73 (4), S. 40-45, 2001.
- Islamov BI, Balabanova RM, Funtikov VA, Gotovskii YuV, Meizerov EE:* Effect of bioresonance therapy on antioxidant system in lymphocytes in patients with Rheumatoid Arthritis. Bulletin of Experimental Biology and Medicine, Vol. 134 (3), S. 248-250, 2002.
- Schuller J, Galle M:* Untersuchungen zur Prüfung der klinischen Wirksamkeit elektronisch abgespeicherter Zahn- und Gelenksnosoden bei Erkrankungen des Rheumatischen Formenkreises. Forschende Komplementärmedizin & Klassische Naturheilkunde 2007; 14: 289-296.

Rahlf's VW, Rozehnal A: Wirksamkeit und Verträglichkeit der Bioresonanzbehandlung. *Erfahrungsheilkunde* 2008; 57(8):462-468.

Herrmann E, Galle M: Retrospective surgery study of the therapeutic effectiveness of the MORA bioresonance therapy with conventional therapy resistant patients suffering from allergies, pain and infection diseases. *European Journal of Integrative Medicine* 2011; 3:237e-244e.

Chen T, Gou Z, Zhang YH, Gao Y: Effect of MORA bioresonance therapy in the treatment of Henoch-Schönlein Purpura and influence on serum antioxidant enzymes. *Journal of Clinical Dermatology (China)* 2010; 39(5):283-285.

• References 5

Trofimov WI, Schykina TW, Filimonov WN, Pawlow IP: MORA-Therapie bei obstruktiven Atemwegserkrankungen. *Untersuchungsbericht der Medizinischen Universität St. Petersburg* 1997.

Chervinskaya AV, Nasarowa LW, Gorelow AI: MORA-Therapie bei respiratorischen und allergischen Erkrankungen. *Untersuchungsbericht des Staatlichen Wissenschaftlichen Pulmonologiezentrums, St. Petersburg* 1997.

Saweljew BP, Balabolkin II, Jazenko SW, Reutowa BS, Belowa NR, Semenowa NYu, Gotovskii YuV, Kasakow SA: Bioresonanztherapie bei der komplexen Therapie von Kindern mit Asthma bronchiale. *Medizinisch-wissenschaftliche und Lernmethodische Zeitschrift N2, Juni* 2001, S. 111-130.

Yang J, Zhang L: 300 Behandlungsbeispiele gegen Asthma mittels BICOM-Grätes für die Kinderpatienten. *Maternal and Child Health Care of China* 2004; 19(9):126-127.

Frick G.: Effiziente Asthmabehandlung. *Ärztzeitschrift für Naturheilverfahren* 2005; 75(7):433-437.

Huang S, Sun Z, Fang Y: Klinische Behandlung vom allergischen Schnupfen und Bronchialasthma der Kinder mit dem Bioresonanztherapiegerät. *Zhejiang Medical Journal* 2005; 27(6):457-458.

Feng Y, Chen H, Li R, Liu L: Die neulich klinische Beobachtung der Heilwirkung mit Bioresonanztherapiegerät in 150 Fällen der Kinder-Allergie-Krankheit. *Chinese Journal of Contemporary Pediatrics* 2005; 7(3):257-258.

Rahlf's VW, Rozehnal A: Wirksamkeit und Verträglichkeit der Bioresonanzbehandlung. *Erfahrungsheilkunde* 2008; 57(8):462-468.

Guo Y, Mao J, Zhao XH: Clinical observation of the treatment of 32 Cases of Bronchial Asthma by MORA-Super Bio-resonance diagnosis and therapy instrument. *Journal of Clinical Pulmonary Medicine (China)* 2010; 15(3): 407-408.

• References 6

Machowinski R, Kreisl P: Prospektive randomisierte Studie zur Überprüfung der Behandlungserfolge mit patienteneigenen elektromagnetischen Feldern (BICOM) bei Leberfunktionsstörungen. In: *Wissenschaftliche Studien zur Bicom Resonanz-Therapie, S.77-92, Klinischer Bericht, Institut für Regulative Medizin, Grätfelfing* 1999.

Rahlf's VW, Rozehnal A: Wirksamkeit und Verträglichkeit der Bioresonanzbehandlung. *Erfahrungsheilkunde* 2008; 57(8):462-468.

• References 7

Papcz BJ, Barpvc J: Einsatz biophysikalischer Frequenzverfahren beim Überlastungssyndrom von Leistungssportlern. *Erfahrungsheilkunde* 48(7), S. 449-450, 1999.

Nienhaus J: Studie zur Therapie psychosomatischer Beschwerden mit dem MORA-Konzept. In: Nienhaus, J.: *MORA und Psychosomatik*. S. 65-73, Klinischer Bericht, Friesenheim: MedTronik 1999.

Maiko OYu, Gogoleva EF: Outpatient bioresonance treatment of gonarthrosis. *Tera-pevicheskii arkhiv, Vol 72 (12), S.50-53, 2000.*

Gogoleva EF: New approaches to diagnosis and treatment of fibromyalgia in spinal osteochondrosis. *Terapevicheskii arkhiv, Vol 73 (4), S. 40-45, 2001.*

Nienhaus J, Galle M: Placebokontrollierte Studie zur Wirkung einer standardisierten MORA-Bioresonanztherapie auf funktionelle Magen-Darm-Beschwerden. *Forschende Komplementärmedizin & Klassische Naturheilkunde* 13:28-34, 2006.

Schuller J, Galle M: Untersuchungen zur Prüfung der klinischen Wirksamkeit elektronisch abgespeicherter Zahn- und Gelenksnosoden bei Erkrankungen des Rheumatischen Formenkreises. *Forschende Komplementärmedizin & Klassische Naturheilkunde* 2007; 14: 289-296.

Uellendahl U: Darstellung der MORA-Color-Methode in der Behandlung von chronischen funktionellen Schmerzen am Bewegungsapparat. *Rigorosearbeit (Dissertation)* zum Dr. päd. an der sportwissenschaftlichen Fakultät der Universität Bratislava 2008, Slowakei.

Rahlf's VW, Rozehnal A: Wirksamkeit und Verträglichkeit der Bioresonanzbehandlung. *Erfahrungsheilkunde* 2008; 57(8):462-468.

Herrmann E, Galle M: Retrospective surgery study of the therapeutic effectiveness of the MORA bioresonance therapy with conventional therapy resistant patients suffering from allergies, pain and infection diseases. *European Journal of Integrative Medicine* 2011; 3:237e-244e.

• References 8

Rahlf's VW, Rozehnal A: Wirksamkeit und Verträglichkeit der Bioresonanzbehandlung. *Erfahrungsheilkunde* 2008; 57(8):462-468.

Herrmann E, Galle M: Retrospective surgery study of the therapeutic effectiveness of the MORA bioresonance therapy with conventional therapy resistant patients suffering from allergies, pain and infection diseases. *European Journal of Integrative Medicine* 2011; 3:237e-244e.

• References 9

Uhlmann J: Ausleitung und Desensibilisierung dentaler Schwermetalle. *Biologische Zahnmedizin* 1998; 14(3): 129-135.

Baumann AK: Praxisstudie zur Ausleitung von Quecksilber aus dem menschlichen Körper mittels Bioresonanztherapie. *RTI-Heft* 2001; 26:96-104. Institut für Regulative Medizin, Grätfelfing, Deutschland.

Ren Y, Zhu X: Efficacy of MORA-Super Bioresonance Device on Amalgam Allergy. *Modern Practical Medicine (China)* 2009; 21(8): 878-879.

• Reference 10

Herrmann E, Galle M: Retrospective surgery study of the therapeutic effectiveness of the MORA bioresonance therapy with conventional therapy resistant patients suffering from allergies, pain and infection diseases. *European Journal of Integrative Medicine* 2011; 3:237e-244e.

• Reference 11

Zhang C: *Der unsichtbare Regenbogen und die unhörbare Musik*. Halle/Saale, Monarda Publishing House, 2007.

• References 12

Islamov BI, Funtikov VA, Bobrovskii RV, Gotovskii YuV: Bioresonance therapy of Rheumatoid Arthritis and heat shock proteins. *Bulletin of Experimental Biology and Medicine*, Vol. 128 (11), S. 1112-1115, 1999.

Islamov BI, Balabanova RM, Funtikov VA, Gotovskii YuV, Meizerov EE: Effect of bioresonance therapy on antioxidant system in lymphocytes in patients with Rheumatoid Arthritis. *Bulletin of Experimental Biology and Medicine*, Vol. 134 (3), S. 248-250, 2002.

Schuller J, Galle M: Untersuchungen zur Prüfung der klinischen Wirksamkeit elektronisch abgespeicherter Zahn- und Gelenksnosoden bei Erkrankungen des Rheumatischen Formenkreises. *Forschende Komplementärmedizin & Klassische Naturheilkunde* 2007; 14: 289-296.

Chen T, Gou Z, Zhang YH, Gao Y: Effect of MORA bioresonance therapy in the treatment of Henoch-Schönlein Purpura and influence on serum antioxidant enzymes. *Journal of Clinical Dermatology (China)* 2010; 39(5):283-285.

Liu L.L., Wan K.S., Cheng C.F., Tsai M.H., Wu Y.L., Wu W.F.: Effectiveness of MORA electronic homeopathic copies of remedies for allergic rhinitis: a short term, randomised, placebo-controlled pilot study. *European Journal of Integrative Medicine* 2013; 5:119-125.

Note:

Those clinical reports of physicians and medical scientists which were not published in scientific journals are available via Biokat Systeme.